Bosch Motorsport BR540 High Flow In Tank Fuel Pump



Brand: Bosch Motorsport **Product Code:** BOSBR540

Availability: 1 Weight: 0.60kg

Dimensions: 10.00cm x 5.00cm x 5.00cm

Phone: +613-8743-5550 - Email:

sales@compsystems.com.au

Price: \$286.00

Short Description

Specifically released by Bosch Motorsport (FPx-HF, F 02U V0U 343-01) and ONLY available direct or through Bosch Motorsport stockists

Highest flowing Bosch in-tank fuel pump available! Flows 460L/hr at 2.75bar (40psi) and an amazing 270L/hr at 10bar (145psi).

Description

Highest flowing Bosch in-tank fuel pump available!!


- Up to 540 l/h @ open flow
- Up to 460 l/h @ 40Psi (2.75bar)
- Up to 380 l/h @ 80Psi (5.5bar)
- An amazing 270l/h @ 145Psi (10.0bar)
- High flow all the way up to the 190Psi (13.0bar) Pressure Relief Valve setting
- 9.0mm (nom.) barbed outlet fitting suits rubber or nylon hose
- Light weight (550g) and Compact 46mm body size
- Includes electrical connector with wires
- Includes High flow filter

- Draws ~16A @ 40Psi (2.75bar), ~19A @ 80Psi (5.5bar), ~24A @ 145Psi (10.0bar)


NOTE: This pump needs to be securely installed inside the fuel tank via hanger or similar. Care should be taken to prevent separation of the filter from the pump. This pump has been released by Bosch Motorsport only for motorsport/offroad applications.

Specifications

- Up to 460 l/h @ 40Psi (2.75bar)
- Up to 380 l/h @ 80Psi (5.5bar)
- An amazing 270l/h @ 145Psi (10.0bar)
- High flow all the way up to the 190Psi (13.0bar) Pressure Relief Valve setting
- 9.0mm (nom.) barbed outlet fitting suits rubber or nylon hose
- Light weight (550g) and Compact 46mm body size
- Includes electrical connector with wires
- Includes High flow filter
- Draws ~16A @ 40Psi (2.75bar), ~19A @ 80Psi (5.5bar), ~24A @ 145Psi (10.0bar)




Dimensions



Electrical

- This pump can draw in excess of 24 amps. High quality wire of the correct size must be used.
- Connector included in kit

<u>Pinout</u>



Product Gallery